



Q.C. Witness International Co., Ltd.

TEL: 886-2-8809-9922(rep.) FAX: 886-2-8809-9955


20 F., NO.29, SEC.2 JUNG JENG E. RD., DANSHUEI JEN, TAIPEI HSIEN, 251 TAIWAN



Professional Spray Gun Series

Patent under progress worldwide

- *Compact design
- *Ergonomic housing for longterm operation
- *Larger spray pattern with fine particle
- *Solvent resistant seals providing great operation



CONVENTIONAL / HVLP / LVMP

Type : Gravity feed / Pressure feed / Siphon feed

Die casting Body / Forging Body

Fluid nozzle size: 0.8~2.5

AT070400

New Design



Q. C. Witness International Co., Ltd.

CATALOGUE *SPRAY GUN 1*



MODEL NO.	FLUID NOZZLE	CUP	FEED TYPE	NET WEIGHT	PRESSURE	INLET
		Liter Gallon		1b kg	psi kg/cm	NPT PT
AT1701	1.5mm	0.60 0.15	Suction	1.6 0.7	60 4.1	1/4"
AT1702	1.4mm	0.70 0.18	Gravity	1.4 0.6	60 4.1	1/4"
AT1703	1.5 or 1.3mm	0.7 0.18	Gravity	1.6 0.7	60 4.1	1/4"
AT1705	1.8mm	1.00 0.25	Suction	1.2 0.5	60 4.1	1/4"
AT1708	1.2mm	0.80 0.20	Suction	1.6 0.7	43 3.0	1/4"
AT1710	1.6mm	0.24 0.06	Suction	1.2 0.5	50 3.5	1/4"



Q. C. Witness International Co., Ltd.

CATALOGUE **SPRAY GUN 2**



AT1715 SPRAY GUN

AT1718 H.V.L.P SPRAY GUN

AT1720 MINI SPRAY GUN

AT1721 MINI H.V.L.P SPRAY GUN

AT1725 EASY-HOLD PAINT SPRAY OUTFIT

AT1726 H.V.L.P. SPRAY GUN

MODEL NO.	FLUID NOZZLE	CUP	FEED TYPE	NET WEIGHT	PRESSURE	INLET
		Liter Gallon		1b kg	psi kg/cm	NPT PT
AT1715	1.4mm	0.60 0.15	Gravity	1.6 0.7	50 3.5	1/4"
AT1718	1.5mm	0.60 0.15	Gravity	1.4 0.6	43 2.9	1/4"
AT1720	0.8mm	0.125 0.033	Gravity	0.7 0.3	35 2.5	1/4"
AT1721	0.8mm	0.125 0.033	Gravity	0.7 0.3	35 2.5	1/4"
AT1725	1.0mm	2.00 0.50	Pressure	5.7 2.6	50 3.5	1/4"
AT1726	1.7mm	1.00 0.25	Suction	3.0 1.4	43 3.0	1/4"